

ANALYTICAL REPORT

Job Number: 420-194879-1
SDG Number: Fostertown Elementary
Job Description: Orange-Ulster BOCES

For:
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Attention: Jack DeGraw



Designee for
Meredith W Ruthven
Customer Service Manager
mruthven@envirotestlaboratories.com
05/24/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194879-1
SDG Number: Fostertown Elementary

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194879-1
SDG Number: Fostertown Elementary

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194879-1
SDG Number: Fostertown Elementary

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-194879-1	Main Entrance BF	Drinking Water	04/08/2021 0526	04/09/2021 1020
420-194879-2	Kitchen BS	Drinking Water	04/08/2021 0527	04/09/2021 1020
420-194879-3	Kitchen KS #1	Drinking Water	04/08/2021 0528	04/09/2021 1020
420-194879-4	Kitchen KS #2	Drinking Water	04/08/2021 0529	04/09/2021 1020
420-194879-5	Kitchen KS #3	Drinking Water	04/08/2021 0529	04/09/2021 1020
420-194879-6	Kitchen KS #4	Drinking Water	04/08/2021 0530	04/09/2021 1020
420-194879-7	Kitchen Dishwasher KSP	Drinking Water	04/08/2021 0531	04/09/2021 1020
420-194879-8	Kitchen KF	Drinking Water	04/08/2021 0531	04/09/2021 1020
420-194879-9	Rm 114 CS	Drinking Water	04/08/2021 0533	04/09/2021 1020
420-194879-10	Rm 13 CS	Drinking Water	04/08/2021 0534	04/09/2021 1020
420-194879-11	Rm 12 CS	Drinking Water	04/08/2021 0534	04/09/2021 1020
420-194879-12	Rm 11 CS	Drinking Water	04/08/2021 0535	04/09/2021 1020
420-194879-13	O/S Rm 10 BF #1	Drinking Water	04/08/2021 0536	04/09/2021 1020
420-194879-14	O/S Rm 10 BF #2	Drinking Water	04/08/2021 0536	04/09/2021 1020
420-194879-15	O/S Rm 10 Boys BS #1	Drinking Water	04/08/2021 0537	04/09/2021 1020
420-194879-16	O/S Rm 10 Boys BS #2	Drinking Water	04/08/2021 0537	04/09/2021 1020
420-194879-17	O/S Rm 10 Girls BS #1	Drinking Water	04/08/2021 0538	04/09/2021 1020
420-194879-18	O/S Rm 10 Girls BS #2	Drinking Water	04/08/2021 0538	04/09/2021 1020
420-194879-19	Rm 10 CS	Drinking Water	04/08/2021 0539	04/09/2021 1020
420-194879-20	Rm 9 CS	Drinking Water	04/08/2021 0539	04/09/2021 1020
420-194879-21	O/S Gym BF	Drinking Water	04/08/2021 0540	04/09/2021 1020
420-194879-22	Rm 8 CS	Drinking Water	04/08/2021 0541	04/09/2021 1020
420-194879-23	Rm 7 CS	Drinking Water	04/08/2021 0542	04/09/2021 1020
420-194879-24	Rm 7B CS	Drinking Water	04/08/2021 0543	04/09/2021 1020
420-194879-25	Rm 6 CS	Drinking Water	04/08/2021 0544	04/09/2021 1020
420-194879-26	O/S Rm 6 Boys BS#1	Drinking Water	04/08/2021 0545	04/09/2021 1020
420-194879-27	O/S Rm 6 Boys BS#2	Drinking Water	04/08/2021 0545	04/09/2021 1020
420-194879-28	O/S Rm 6 Girls BS#1	Drinking Water	04/08/2021 0546	04/09/2021 1020
420-194879-29	O/S Rm 6 Girls BS#2	Drinking Water	04/08/2021 0546	04/09/2021 1020
420-194879-30	O/S Rm 6 BF	Drinking Water	04/08/2021 0546	04/09/2021 1020
420-194879-31	Rm 6B CS	Drinking Water	04/08/2021 0547	04/09/2021 1020
420-194879-32	O/S 6B CS #1	Drinking Water	04/08/2021 0550	04/09/2021 1020
420-194879-33	O/S 6B CS #2	Drinking Water	04/08/2021 0550	04/09/2021 1020
420-194879-34	O/S 6B CS #3	Drinking Water	04/08/2021 0551	04/09/2021 1020
420-194879-35	O/S 6B CS #4	Drinking Water	04/08/2021 0551	04/09/2021 1020
420-194879-36	O/S Main Office BS #1	Drinking Water	04/08/2021 0553	04/09/2021 1020
420-194879-37	O/S Main Office BS #2	Drinking Water	04/08/2021 0554	04/09/2021 1020
420-194879-38	Main Office BS #1	Drinking Water	04/08/2021 0555	04/09/2021 1020
420-194879-39	Main Office BS #2	Drinking Water	04/08/2021 0555	04/09/2021 1020
420-194879-40	Main Office BS #3	Drinking Water	04/08/2021 0556	04/09/2021 1020
420-194879-41	Main Office KS	Drinking Water	04/08/2021 0556	04/09/2021 1020
420-194879-42	Health Office BS	Drinking Water	04/08/2021 0557	04/09/2021 1020
420-194879-43	Health Office KS	Drinking Water	04/08/2021 0557	04/09/2021 1020
420-194879-44	Rm 5 KS	Drinking Water	04/08/2021 0558	04/09/2021 1020
420-194879-45	Rm 5 BS #1	Drinking Water	04/08/2021 0559	04/09/2021 1020
420-194879-46	Rm 5 BS #2	Drinking Water	04/08/2021 0559	04/09/2021 1020

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-194879-1
SDG Number: Fostertown Elementary

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-194879-47	Rm 4 CS	Drinking Water	04/08/2021 0601	04/09/2021 1020
420-194879-48	Library CS	Drinking Water	04/08/2021 0602	04/09/2021 1020
420-194879-49	Rm 3 CS	Drinking Water	04/08/2021 0603	04/09/2021 1020
420-194879-50	Rm 2B CS	Drinking Water	04/08/2021 0604	04/09/2021 1020
420-194879-51	Rm 2B BS	Drinking Water	04/08/2021 0604	04/09/2021 1020
420-194879-52	Faculty Rm KS	Drinking Water	04/08/2021 0605	04/09/2021 1020
420-194879-53	Faculty Rm BS	Drinking Water	04/08/2021 0606	04/09/2021 1020
420-194879-54	O/S Rm 2 BF	Drinking Water	04/08/2021 0607	04/09/2021 1020
420-194879-55	O/S Rm 2 Boys BS #1	Drinking Water	04/08/2021 0607	04/09/2021 1020
420-194879-56	O/S Rm 2 Boys BS #2	Drinking Water	04/08/2021 0608	04/09/2021 1020
420-194879-57	O/S Rm 2 Girls BS #1	Drinking Water	04/08/2021 0609	04/09/2021 1020
420-194879-58	O/S Rm 2 Girls BS #2	Drinking Water	04/08/2021 0609	04/09/2021 1020
420-194879-59	Rm 1 BS	Drinking Water	04/08/2021 0610	04/09/2021 1020
420-194879-60	Rm 1 CS	Drinking Water	04/08/2021 0611	04/09/2021 1020
420-194879-61	Rm 2 CS	Drinking Water	04/08/2021 0612	04/09/2021 1020
420-194879-62	Rm 19 CS	Drinking Water	04/08/2021 0615	04/09/2021 1020
420-194879-63	Rm 15 CS	Drinking Water	04/08/2021 0616	04/09/2021 1020
420-194879-64	Rm 20 CS	Drinking Water	04/08/2021 0616	04/09/2021 1020
420-194879-65	Rm 16 CS	Drinking Water	04/08/2021 0617	04/09/2021 1020
420-194879-66	Rm 21 CS	Drinking Water	04/08/2021 0617	04/09/2021 1020
420-194879-67	Rm 17 CS	Drinking Water	04/08/2021 0617	04/09/2021 1020
420-194879-68	Rm 22 CS	Drinking Water	04/08/2021 0618	04/09/2021 1020
420-194879-69	Rm 18 CS	Drinking Water	04/08/2021 0619	04/09/2021 1020
420-194879-70	Rm 23 CS	Drinking Water	04/08/2021 0620	04/09/2021 1020
420-194879-71	O/S Rm 23 Boys BS #1	Drinking Water	04/08/2021 0621	04/09/2021 1020
420-194879-72	O/S Rm 23 Boys BS #2	Drinking Water	04/08/2021 0621	04/09/2021 1020
420-194879-73	O/S Rm 23 BF #1	Drinking Water	04/08/2021 0622	04/09/2021 1020
420-194879-74	O/S Rm 23 BF #2	Drinking Water	04/08/2021 0622	04/09/2021 1020
420-194879-75	O/S Rm 23 Girls BS #1	Drinking Water	04/08/2021 0623	04/09/2021 1020
420-194879-76	O/S Rm 23 Girls BS #2	Drinking Water	04/08/2021 0623	04/09/2021 1020
420-194879-77	Rm 24 CS	Drinking Water	04/08/2021 0624	04/09/2021 1020
420-194879-78	Rm 25 CS	Drinking Water	04/08/2021 0625	04/09/2021 1020

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Main Entrance BF
Lab Sample ID: 420-194879-1

Date Sampled: 04/08/2021 0526
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2018	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen BS
Lab Sample ID: 420-194879-2

Date Sampled: 04/08/2021 0527
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/18/2021 2027	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen KS #1
Lab Sample ID: 420-194879-3

Date Sampled: 04/08/2021 0528
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2034	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen KS #2
Lab Sample ID: 420-194879-4

Date Sampled: 04/08/2021 0529
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/18/2021 2036	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen KS #3
Lab Sample ID: 420-194879-5

Date Sampled: 04/08/2021 0529
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2038	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen KS #4
Lab Sample ID: 420-194879-6

Date Sampled: 04/08/2021 0530
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/18/2021 2040	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	7.79	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen Dishwasher KSP
Lab Sample ID: 420-194879-7

Date Sampled: 04/08/2021 0531
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/18/2021 2042	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	7.12	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Kitchen KF
Lab Sample ID: 420-194879-8

Date Sampled: 04/08/2021 0531
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2044	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 114 CS
Lab Sample ID: 420-194879-9

Date Sampled: 04/08/2021 0533
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2047	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 13 CS
Lab Sample ID: 420-194879-10

Date Sampled: 04/08/2021 0534
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/18/2021	2049	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 12 CS
Lab Sample ID: 420-194879-11

Date Sampled: 04/08/2021 0534
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/18/2021 2051	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	21.0 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 11 CS
Lab Sample ID: 420-194879-12

Date Sampled: 04/08/2021 0535
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021 1739		
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 BF #1
Lab Sample ID: 420-194879-13

Date Sampled: 04/08/2021 0536
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1741	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 BF #2
Lab Sample ID: 420-194879-14

Date Sampled: 04/08/2021 0536
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1744	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 Boys BS #1
Lab Sample ID: 420-194879-15

Date Sampled: 04/08/2021 0537
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1746	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 Boys BS #2
Lab Sample ID: 420-194879-16

Date Sampled: 04/08/2021 0537
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1748	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 Girls BS #1
Lab Sample ID: 420-194879-17

Date Sampled: 04/08/2021 0538
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1750	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 10 Girls BS #2
Lab Sample ID: 420-194879-18

Date Sampled: 04/08/2021 0538
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021 1752		
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 10 CS
Lab Sample ID: 420-194879-19

Date Sampled: 04/08/2021 0539
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1755	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.04	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 9 CS
Lab Sample ID: 420-194879-20

Date Sampled: 04/08/2021 0539
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1757	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Gym BF
Lab Sample ID: 420-194879-21

Date Sampled: 04/08/2021 0540
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1803	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 8 CS
Lab Sample ID: 420-194879-22

Date Sampled: 04/08/2021 0541
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1812	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	2.25	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 7 CS
Lab Sample ID: 420-194879-23

Date Sampled: 04/08/2021 0542
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1814	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 7B CS
Lab Sample ID: 420-194879-24

Date Sampled: 04/08/2021 0543
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1817	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	4.19	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 6 CS
Lab Sample ID: 420-194879-25

Date Sampled: 04/08/2021 0544
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1819	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.25	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 6 Boys BS#1
Lab Sample ID: 420-194879-26

Date Sampled: 04/08/2021 0545
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021 1821		
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021 1400		
Pb	17.3 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 6 Boys BS#2
Lab Sample ID: 420-194879-27

Date Sampled: 04/08/2021 0545
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1823	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 6 Girls BS#1
Lab Sample ID: 420-194879-28

Date Sampled: 04/08/2021 0546
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1830	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	2.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 6 Girls BS#2
Lab Sample ID: 420-194879-29

Date Sampled: 04/08/2021 0546
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1832	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	5.51	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 6 BF
Lab Sample ID: 420-194879-30

Date Sampled: 04/08/2021 0546
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021 1834		
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 6B CS
Lab Sample ID: 420-194879-31

Date Sampled: 04/08/2021 0547
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1836	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.64	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S 6B CS #1
Lab Sample ID: 420-194879-32

Date Sampled: 04/08/2021 0550
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1841	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.11	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S 6B CS #2
Lab Sample ID: 420-194879-33

Date Sampled: 04/08/2021 0550
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1843	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S 6B CS #3
Lab Sample ID: 420-194879-34

Date Sampled: 04/08/2021 0551
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1845	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S 6B CS #4
Lab Sample ID: 420-194879-35

Date Sampled: 04/08/2021 0551
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1847	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.04	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Main Office BS #1
Lab Sample ID: 420-194879-36

Date Sampled: 04/08/2021 0553
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021 1849		
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Main Office BS #2
Lab Sample ID: 420-194879-37

Date Sampled: 04/08/2021 0554
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1856	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.27	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Main Office BS #1
Lab Sample ID: 420-194879-38

Date Sampled: 04/08/2021 0555
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1858	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Main Office BS #2
Lab Sample ID: 420-194879-39

Date Sampled: 04/08/2021 0555
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1900	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Main Office BS #3
Lab Sample ID: 420-194879-40

Date Sampled: 04/08/2021 0556
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1902	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	2.64	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Main Office KS
Lab Sample ID: 420-194879-41

Date Sampled: 04/08/2021 0556
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1905	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Health Office BS
Lab Sample ID: 420-194879-42

Date Sampled: 04/08/2021 0557
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1913	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Health Office KS
Lab Sample ID: 420-194879-43

Date Sampled: 04/08/2021 0557
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1916	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.09	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 5 KS
Lab Sample ID: 420-194879-44

Date Sampled: 04/08/2021 0558
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1922	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.80	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 5 BS #1
Lab Sample ID: 420-194879-45

Date Sampled: 04/08/2021 0559
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1924	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 5 BS #2
Lab Sample ID: 420-194879-46

Date Sampled: 04/08/2021 0559
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1926	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.23	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 4 CS
Lab Sample ID: 420-194879-47

Date Sampled: 04/08/2021 0601
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1929	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.77	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Library CS
Lab Sample ID: 420-194879-48

Date Sampled: 04/08/2021 0602
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1931	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.28	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 3 CS
Lab Sample ID: 420-194879-49

Date Sampled: 04/08/2021 0603
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1933	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 2B CS
Lab Sample ID: 420-194879-50

Date Sampled: 04/08/2021 0604
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1935	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	3.68	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 2B BS
Lab Sample ID: 420-194879-51

Date Sampled: 04/08/2021 0604
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1937	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	7.46	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Faculty Rm KS
Lab Sample ID: 420-194879-52

Date Sampled: 04/08/2021 0605
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1942	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.13	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Faculty Rm BS
Lab Sample ID: 420-194879-53

Date Sampled: 04/08/2021 0606
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1948	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.70	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 2 BF
Lab Sample ID: 420-194879-54

Date Sampled: 04/08/2021 0607
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1951	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 2 Boys BS #1
Lab Sample ID: 420-194879-55

Date Sampled: 04/08/2021 0607
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 1953	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 2 Boys BS #2
Lab Sample ID: 420-194879-56

Date Sampled: 04/08/2021 0608
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1955	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 2 Girls BS #1
Lab Sample ID: 420-194879-57

Date Sampled: 04/08/2021 0609
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1957	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 2 Girls BS #2
Lab Sample ID: 420-194879-58

Date Sampled: 04/08/2021 0609
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	1959	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 1 BS
Lab Sample ID: 420-194879-59

Date Sampled: 04/08/2021 0610
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	2001	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 1 CS
Lab Sample ID: 420-194879-60

Date Sampled: 04/08/2021 0611
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2004	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 2 CS
Lab Sample ID: 420-194879-61

Date Sampled: 04/08/2021 0612
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2006	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	3.56	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 19 CS
Lab Sample ID: 420-194879-62

Date Sampled: 04/08/2021 0615
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2019	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	2.69	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 15 CS
Lab Sample ID: 420-194879-63

Date Sampled: 04/08/2021 0616
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2021	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.43	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 20 CS
Lab Sample ID: 420-194879-64

Date Sampled: 04/08/2021 0616
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2023	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 16 CS
Lab Sample ID: 420-194879-65

Date Sampled: 04/08/2021 0617
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2025	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 21 CS
Lab Sample ID: 420-194879-66

Date Sampled: 04/08/2021 0617
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2028	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 17 CS
Lab Sample ID: 420-194879-67

Date Sampled: 04/08/2021 0617
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2030	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 22 CS
Lab Sample ID: 420-194879-68

Date Sampled: 04/08/2021 0618
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2032	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 18 CS
Lab Sample ID: 420-194879-69

Date Sampled: 04/08/2021 0619
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2034	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 23 CS
Lab Sample ID: 420-194879-70

Date Sampled: 04/08/2021 0620
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	2041	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 Boys BS #1
Lab Sample ID: 420-194879-71

Date Sampled: 04/08/2021 0621
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2043	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 Boys BS #2
Lab Sample ID: 420-194879-72

Date Sampled: 04/08/2021 0621
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	2047	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 BF #1
Lab Sample ID: 420-194879-73

Date Sampled: 04/08/2021 0622
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	2049	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 BF #2
Lab Sample ID: 420-194879-74

Date Sampled: 04/08/2021 0622
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 05/21/2021	2052	
Prep Method: 200.7/200.8			Date Prepared: 05/18/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 Girls BS #1
Lab Sample ID: 420-194879-75

Date Sampled: 04/08/2021 0623
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2054	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: O/S Rm 23 Girls BS #2
Lab Sample ID: 420-194879-76

Date Sampled: 04/08/2021 0623
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2056	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 24 CS
Lab Sample ID: 420-194879-77

Date Sampled: 04/08/2021 0624
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2058	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.08	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-194879-1
Sdg Number: Fostertown Elementary

Client Sample ID: Rm 25 CS
Lab Sample ID: 420-194879-78

Date Sampled: 04/08/2021 0625
Date Received: 04/09/2021 1020
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	05/21/2021 2100	
Prep Method: 200.7/200.8			Date Prepared:	05/18/2021 1400	
Pb	1.18	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:
Sdg Number: Fostertown Elementary

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Fostertown Elementary

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Fostertown Elementary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 194879 10FG
Client Contact: Joseph Russo		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		Analysis Requested			Page: Page 1 of 1
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around		 Main Entrance BF Date Sampled: 4/8/2021 420-1663430	
City: Goshen		TAT Requested (days):			
State, Zip: NY, 10924		PO #:			
Phone: 845-781-4887		PWS #:			
Email: joseph.russo@ouboces.org Maureen.doherty@ouboces.org		Halina.redner@ouboces.org			
Project Name: Newburgh ECSD		Project #:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify)	
Site: FOSTERTOWN ELEMENTARY		Additional Contacts:		Other: D-Nitric Acid Upon Receipt Preservation verified: Y / N	

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, S=solid, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note
4/8/21	526	MAIN ENTRANCE BF		G	DW				1	1	
4/8/21	527	KITCHEN BS		G	DW				1	1	
4/8/21	528	KITCHEN KS #1		G	DW				1	1	
4/8/21	529	KITCHEN KS #2		G	DW				1	1	
4/8/21	529	KITCHEN KS #3		G	DW				1	1	
4/8/21	530	KITCHEN KS #4		G	DW				1	1	
4/8/21	531	KITCHEN DISHWASHER KSP		G	DW				1	1	
4/8/21	531	KITCHEN KF		G	DW				1	1	
4/8/21	533	RM 114 CS		G	DW				1	1	
4/8/21	534	RM 13 CS		G	DW				1	1	
4/8/21	534	RM 12 CS		G	DW				1	1	
4/8/21	535	RM 11 CS		G	DW				1	1	
4/8/21	536	O/S RM 10 BF #1		G	DW				1	1	
4/8/21	536	O/S RM 10 BF #2		G	DW				1	1	
4/8/21	537	O/S RM 10 BOYS BS #1		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		Manufacturer/lot #:		Date:	Time:	Sample # (s):	Container Type
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
<i>[Signature]</i>	4/19/21 10:20	OUBOCES	<i>[Signature]</i>	4/19/21 10:20	BOC		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
ICE Present: <input checked="" type="checkbox"/>	Custody Seal No.:	Custody Seals Intact: <input checked="" type="checkbox"/>	Δ	Cooler Temperature(s) °C/IR GUN #: 21.1°C			

EnviroTest Laboratories, LLC

315 Fullerton Avenue
 Newburgh, NY 12550
 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 194879 3&6
Client Contact: Joseph Russo		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		Analysis Requested			Page: Page 1 of 1																												
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <td colspan="2">Preservation Codes:</td> </tr> <tr> <td>A - HCL</td> <td>L - EDA</td> </tr> <tr> <td>B - NaOH</td> <td>- Sodium Sulfite</td> </tr> <tr> <td>C - Zn Acetate</td> <td>N - None</td> </tr> <tr> <td>D - Nitric Acid</td> <td>O - MCAA</td> </tr> <tr> <td>E - H2SO4</td> <td>P - Other (specify)</td> </tr> <tr> <td>F - MeOH</td> <td></td> </tr> <tr> <td>G - NH4CL</td> <td></td> </tr> <tr> <td>H - Ascorbic Acid</td> <td></td> </tr> <tr> <td>I - Ice</td> <td></td> </tr> <tr> <td>J - DI Water</td> <td></td> </tr> <tr> <td>K - Sodium Thiosulfate</td> <td></td> </tr> <tr> <td colspan="2">Other: D-Nitric Acid</td> </tr> <tr> <td colspan="2">Upon Receipt Preservation verified: Y / N</td> </tr> </table>			Preservation Codes:		A - HCL	L - EDA	B - NaOH	- Sodium Sulfite	C - Zn Acetate	N - None	D - Nitric Acid	O - MCAA	E - H2SO4	P - Other (specify)	F - MeOH		G - NH4CL		H - Ascorbic Acid		I - Ice		J - DI Water		K - Sodium Thiosulfate		Other: D-Nitric Acid		Upon Receipt Preservation verified: Y / N	
Preservation Codes:																																	
A - HCL	L - EDA																																
B - NaOH	- Sodium Sulfite																																
C - Zn Acetate	N - None																																
D - Nitric Acid	O - MCAA																																
E - H2SO4	P - Other (specify)																																
F - MeOH																																	
G - NH4CL																																	
H - Ascorbic Acid																																	
I - Ice																																	
J - DI Water																																	
K - Sodium Thiosulfate																																	
Other: D-Nitric Acid																																	
Upon Receipt Preservation verified: Y / N																																	
City: Goshen		TAT Requested (days):																															
State, Zip: NY, 10924		PO #:																															
Phone: 845-781-4887		PWS #:																															
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:																															
Project Name: Newburgh ECSD		Additional Contacts:																															
Site: FOSTERTOWN ELEMENTARY																																	

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/8/21	547	RM 6B CS		G	DW				1	1	
4/8/21	550	O/S 6B CS #1		G	DW				1	1	
4/8/21	550	O/S 6B CS #2		G	DW				1	1	
4/8/21	551	O/S 6B CS #3		G	DW				1	1	
4/8/21	551	O/S 6B CS #4		G	DW				1	1	
4/8/21	553	O/S MAIN OFFICE BS #1		G	DW				1	1	
4/8/21	554	O/S MAIN OFFICE BS #2		G	DW				1	1	
4/8/21	555	MAIN OFFICE BS #1		G	DW				1	1	
4/8/21	555	MAIN OFFICE BS #2		G	DW				1	1	
4/8/21	556	MAIN OFFICE BS #3		G	DW				1	1	
4/8/21	556	MAIN OFFICE KS		G	DW				1	1	
4/8/21	557	HEALTH OFFICE BS		G	DW				1	1	
4/8/21	557	HEALTH OFFICE KS		G	DW				1	1	
4/8/21	558	RM 5 KS		G	DW				1	1	
4/8/21	559	RM 5 BS #1		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		Manufacturer/Lot #:		Date:	Time:	Sample # (s):	Container Type
Preservation Added Upon Receipt:		Date/Time:		Company:	Received by:	Date/Time:	Company:
Relinquished by: <i>[Signature]</i>		4/9/21 10:20		Company: OUBOCES	Received by: <i>[Signature]</i>	4/9/21 12:00	Company: ETL
Relinquished by:		Date/Time:		Company:	Received by:	Date/Time:	Company:
Relinquished by:		Date/Time:		Company:	Received by:	Date/Time:	Company:

ICE Present: Custody Seal No.: *[Handwritten]* Custody Seals Intact: Cooler Temperature(s) °C/IR GUN #: **21.1 °C**

EnviroTest Laboratories, LLC

315 Fullerton Avenue
 Newburgh, NY 12550
 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 104879 4 & 6
Client Contact: Joseph Russo		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		Analysis Requested			Page: Page 1 of 1			
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify)
City: Goshen		TAT Requested (days):						
State, Zip: NY, 10924		PO #:						
Phone: 845-781-4887		PWS #:						
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:	Project Name: Newburgh ECSD		Site: FOSTERTOWN ELEMENTARY		Additional Contacts:	

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/8/21	559	RM 5 BS #2		G	DW				1	1	
4/8/21	601	RM 4 CS		G	DW				1	1	
4/8/21	602	LIBRARY CS		G	DW				1	1	
4/8/21	603	RM 3 CS		G	DW				1	1	
4/8/21	604	RM 2B CS		G	DW				1	1	
4/8/21	604	RM 2B BS		G	DW				1	1	
4/8/21	605	FACULTY RM KS		G	DW				1	1	
4/8/21	606	FACULTY RM BS		G	DW				1	1	
4/8/21	607	O/S RM 2 BF		G	DW				1	1	
4/8/21	607	O/S RM 2 BOYS BS #1		G	DW				1	1	
4/8/21	608	O/S RM 2 BOYS BS #2		G	DW				1	1	
4/8/21	609	O/S RM 2 GIRLS BS #1		G	DW				1	1	
4/8/21	609	O/S RM 2 GIRLS BS #2		G	DW				1	1	
4/8/21	610	RM 1 BS		G	DW				1	1	
4/8/21	611	RM 1 CS		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle

Manufacturer/Lot #: _____ Date: _____ Time: _____ Sample # (s): _____

Preservation Added Upon Receipt: _____

Relinquished by: <i>[Signature]</i>	Date/Time: 7/9/21 10:20	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 7/12/21 10:20	Company: <i>[Signature]</i>
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:

ICE Present: Custody Seal No.: _____ Custody Seals Intact: Cooler Temperature(s) °C/IR GUN #: 21.1°C

EnviroTest Laboratories, LLC

315 Fullerton Avenue
 Newburgh, NY 12550
 Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information	Sampler: J DeGRaw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 194876 5 & 6
	Client Contact: Joseph Russo	Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org	

Company: Orange-Ulster BOCES	Due Date Requested: Standard Turn-Around	Analysis Requested	Page: Page 1 of 1
Address: 53 Gibson Road	TAT Requested (days):		Preservation Codes: A - HCL L - EDA M B - NaOH - Sodium Sulfite C - Zn Acetate N - None D - Nitric Acid O - MCAA E - H2SO4 P - Other (specify) F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate Other: D-Nitric Acid Upon Receipt Preservation verified: Y / N
City: Goshen	PO #:		
State, Zip: NY, 10924	PWS #:		
Phone: 845-781-4887	Project #:		
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org	Additional Contacts:		
Project Name: Newburgh ECSD			
Site: FOSTERTOWN ELEMENTARY			

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/8/21	612	RM 2 CS		G	DW				1	1	
4/8/21	615	RM 19 CS		G	DW				1	1	
4/8/21	616	RM 15 CS		G	DW				1	1	
4/8/21	616	RM 20 CS		G	DW				1	1	
4/8/21	617	RM 16 CS		G	DW				1	1	
4/8/21	617	RM 21 CS		G	DW				1	1	
4/8/21	617	RM 17 CS		G	DW				1	1	
4/8/21	618	RM 22 CS		G	DW				1	1	
4/8/21	619	RM 18 CS		G	DW				1	1	
4/8/21	620	RM 23 CS		G	DW				1	1	
4/8/21	621	O/S RM 23 BOYS BS #1		G	DW				1	1	
4/8/21	621	O/S RM 23 BOYS BS #2		G	DW				1	1	
4/8/21	622	O/S RM 23 BF #1		G	DW				1	1	
4/8/21	622	O/S RM 23 BF #2		G	DW				1	1	
4/8/21	623	O/S RM 23 GIRLS BS #1		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle

Preservation Added Upon Receipt: Yes No

Relinquished by: <i>[Signature]</i>	Date/Time: 4/9/21 10:20	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/9/21 10:20	Company: <i>[Signature]</i>
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:

ICE Present: Custody Seal No.: _____ Custody Seals Intact: Cooler Temperature(s) °C/IR GUN #: 21.10

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 194879 656
Client Contact: Joseph Russo		Phone: 845-781-4887	E-Mail: joseph.russo@oubores.org Halina.redner@oubores.org Maureen.doherty@oubores.org		

Company: Orange-Ulster BOCES		Analysis Requested			Page: Page 1 of 1																						
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>Perform MS/MSD (Yes or No)</td> <td>Chlorine Present (Yes or No)</td> <td>Lead</td> <td rowspan="5">Total Number of Containers</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </table>			Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers																	Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA - Sodium Sulfite N - None O - MCAA P - Other (specify) Other: D-Nitric Acid Upon Receipt Preservation verified: Y / N
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)				Lead	Total Number of Containers																				
City: Goshen		TAT Requested (days):																									
State, Zip: NY, 10924		PO #:																									
Phone: 845-781-4887		PWS #:																									
Email: joseph.russo@oubores.org Halina.redner@oubores.org Maureen.doherty@oubores.org		Project #:																									
Project Name: Newburgh ECSD		Additional Contacts:																									
Site: FOSTERTOWN ELEMENTARY																											

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW= drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/8/21	623	O/S RM 23 GIRLS BS #2		G	DW				1	1	
4/8/21	624	RM 24 CS		G	DW				1	1	
4/8/21	625	RM 25 CS		G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	
4/8/21				G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		Manufacturer/lot #		Date	Time	Sample # (s)	Container Type
Relinquished by: <i>Joseph Russo</i>	Date/Time: 4/9/21 10:20	Company: OUBOCES	Received by: <i>Natasha</i>	Date/Time: 4/9/21 10:20	Company: <i>BOC</i>		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
ICE Present: <input checked="" type="checkbox"/>	Custody Seal No.:	Custody Seals Intact: <input checked="" type="checkbox"/>	Cooler Temperature(s) °C/IR GUN #:		21.1°C		

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-194879-1
SDG Number: Fostertown Elementary

Login Number: 194879

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.1 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	