

ANALYTICAL REPORT

Job Number: 420-195462-1

SDG Number: Newburgh ECSD Horizons

Job Description: Orange-Ulster BOCES


For:

Orange-Ulster BOCES

53 Gibson Road

Goshen, NY 10924

Attention: Jack DeGraw



Meredith W Ruthven

Customer Service Manager

mruthven@envirotestlaboratories.com

06/24/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at Envirotestlabs/terms.com. As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

Envirotest Laboratories

315 Fullerton Avenue, Newburgh, NY 12550

Tel (845) 562-0890 Fax (845) 562-0841 www.envirotestlaboratories.com

METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195462-1
SDG Number: Newburgh ECSD Horizons

Description	Lab Location	Method	Preparation Method
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

Lab References:

EnvTest = EnviroTest

Method References:

EPA = US Environmental Protection Agency

METHOD / ANALYST SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195462-1
SDG Number: Newburgh ECSD Horizons

Method	Analyst	Analyst ID
EPA 200.8 Rev.5.4	Luis, Carlos	CL

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195462-1
SDG Number: Newburgh ECSD Horizons

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195462-1	K 1 CS	Drinking Water	04/15/2021 0556	04/16/2021 1215
420-195462-2	K 1 BS	Drinking Water	04/15/2021 0556	04/16/2021 1215
420-195462-3	K 2 CS	Drinking Water	04/15/2021 0557	04/16/2021 1215
420-195462-4	K 2 BS	Drinking Water	04/15/2021 0557	04/16/2021 1215
420-195462-5	K 3 CS	Drinking Water	04/15/2021 0559	04/16/2021 1215
420-195462-6	K 3 BS	Drinking Water	04/15/2021 0559	04/16/2021 1215
420-195462-7	AIS MATH CS	Drinking Water	04/15/2021 0600	04/16/2021 1215
420-195462-8	O/S AIS Math Staff BS	Drinking Water	04/15/2021 0601	04/16/2021 1215
420-195462-9	O/S Cafe BS	Drinking Water	04/15/2021 0602	04/16/2021 1215
420-195462-10	Kitchen KS #1	Drinking Water	04/15/2021 0603	04/16/2021 1215
420-195462-11	Kitchen KS #2	Drinking Water	04/15/2021 0603	04/16/2021 1215
420-195462-12	Kitchen KS #3	Drinking Water	04/15/2021 0604	04/16/2021 1215
420-195462-13	Kitchen HS	Drinking Water	04/15/2021 0604	04/16/2021 1215
420-195462-14	Cafe BF	Drinking Water	04/15/2021 0605	04/16/2021 1215
420-195462-15	Main Office KS	Drinking Water	04/15/2021 0608	04/16/2021 1215
420-195462-16	Nurse BS	Drinking Water	04/15/2021 0608	04/16/2021 1215
420-195462-17	Nurse HS	Drinking Water	04/15/2021 0609	04/16/2021 1215
420-195462-18	Teachers Lounge KS	Drinking Water	04/15/2021 0611	04/16/2021 1215
420-195462-19	201 CS	Drinking Water	04/15/2021 0613	04/16/2021 1215
420-195462-20	202 CS	Drinking Water	04/15/2021 0614	04/16/2021 1215
420-195462-21	203 CS	Drinking Water	04/15/2021 0615	04/16/2021 1215
420-195462-22	204 CS	Drinking Water	04/15/2021 0615	04/16/2021 1215
420-195462-23	2nd Floor Staff BS	Drinking Water	04/15/2021 0617	04/16/2021 1215
420-195462-24	2nd Floor Boys BS #1	Drinking Water	04/15/2021 0617	04/16/2021 1215
420-195462-25	2nd Floor Boys BS #2	Drinking Water	04/15/2021 0618	04/16/2021 1215
420-195462-26	2nd Floor Boys BS #3	Drinking Water	04/15/2021 0618	04/16/2021 1215
420-195462-27	2nd Floor Boys BS #4	Drinking Water	04/15/2021 0619	04/16/2021 1215
420-195462-28	2nd Floor Boys BS #5	Drinking Water	04/15/2021 0619	04/16/2021 1215
420-195462-29	2nd Floor Girls BS #1	Drinking Water	04/15/2021 0620	04/16/2021 1215
420-195462-30	2nd Floor Girls BS #2	Drinking Water	04/15/2021 0620	04/16/2021 1215
420-195462-31	2nd Floor Girls BS #3	Drinking Water	04/15/2021 0620	04/16/2021 1215
420-195462-32	2nd Floor Girls BS #4	Drinking Water	04/15/2021 0621	04/16/2021 1215
420-195462-33	O/S 205 BF	Drinking Water	04/15/2021 0622	04/16/2021 1215
420-195462-34	205 CS	Drinking Water	04/15/2021 0622	04/16/2021 1215
420-195462-35	206 CS	Drinking Water	04/15/2021 0623	04/16/2021 1215
420-195462-36	207 CS	Drinking Water	04/15/2021 0623	04/16/2021 1215
420-195462-37	209 CS	Drinking Water	04/15/2021 0624	04/16/2021 1215
420-195462-38	211 CS	Drinking Water	04/15/2021 0625	04/16/2021 1215
420-195462-39	213 CS	Drinking Water	04/15/2021 0625	04/16/2021 1215
420-195462-40	O/S 215 Staff BS	Drinking Water	04/15/2021 0627	04/16/2021 1215
420-195462-41	O/S Gym BF	Drinking Water	04/15/2021 0628	04/16/2021 1215
420-195462-42	219 CS	Drinking Water	04/15/2021 0629	04/16/2021 1215
420-195462-43	O/S 219 Boys BS	Drinking Water	04/15/2021 0629	04/16/2021 1215
420-195462-44	O/S 219 BF	Drinking Water	04/15/2021 0630	04/16/2021 1215
420-195462-45	O/S 219 Girls BS	Drinking Water	04/15/2021 0631	04/16/2021 1215
420-195462-46	221 CS	Drinking Water	04/15/2021 0631	04/16/2021 1215

SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195462-1
SDG Number: Newburgh ECSD Horizons

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195462-47	223 CS	Drinking Water	04/15/2021 0631	04/16/2021 1215
420-195462-48	225 CS	Drinking Water	04/15/2021 0632	04/16/2021 1215
420-195462-49	302 CS	Drinking Water	04/15/2021 0636	04/16/2021 1215
420-195462-50	301 CS	Drinking Water	04/15/2021 0637	04/16/2021 1215
420-195462-51	304 CS	Drinking Water	04/15/2021 0638	04/16/2021 1215
420-195462-52	303 CS	Drinking Water	04/15/2021 0639	04/16/2021 1215
420-195462-53	O/S 305 Girls BS #1	Drinking Water	04/15/2021 0640	04/16/2021 1215
420-195462-54	O/S 305 Girls BS #2	Drinking Water	04/15/2021 0640	04/16/2021 1215
420-195462-55	O/S 305 Girls BS #3	Drinking Water	04/15/2021 0640	04/16/2021 1215
420-195462-56	O/S 305 Girls BS #4	Drinking Water	04/15/2021 0641	04/16/2021 1215
420-195462-57	O/S 305 Staff BS	Drinking Water	04/15/2021 0641	04/16/2021 1215
420-195462-58	O/S 305 Boys BS #1	Drinking Water	04/15/2021 0642	04/16/2021 1215
420-195462-59	O/S 305 Boys BS #2	Drinking Water	04/15/2021 0642	04/16/2021 1215
420-195462-60	O/S 305 Boys BS #3	Drinking Water	04/15/2021 0642	04/16/2021 1215
420-195462-61	O/S 305 Boys BS #4	Drinking Water	04/15/2021 0643	04/16/2021 1215
420-195462-62	O/S 305 Boys BS #5	Drinking Water	04/15/2021 0643	04/16/2021 1215
420-195462-63	O/S 305 BF	Drinking Water	04/15/2021 0642	04/16/2021 1215
420-195462-64	305 CS	Drinking Water	04/15/2021 0645	04/16/2021 1215
420-195462-65	306 CS	Drinking Water	04/15/2021 0646	04/16/2021 1215
420-195462-66	307 CS	Drinking Water	04/15/2021 0646	04/16/2021 1215
420-195462-67	308 CS	Drinking Water	04/15/2021 0647	04/16/2021 1215
420-195462-68	309 CS	Drinking Water	04/15/2021 0647	04/16/2021 1215
420-195462-69	310 CS	Drinking Water	04/15/2021 0648	04/16/2021 1215
420-195462-70	311 CS	Drinking Water	04/15/2021 0648	04/16/2021 1215
420-195462-71	313 CS	Drinking Water	04/15/2021 0649	04/16/2021 1215
420-195462-72	O/S 315 BF	Drinking Water	04/15/2021 0649	04/16/2021 1215
420-195462-73	Custodian Office BS	Drinking Water	04/15/2021 0653	04/16/2021 1215

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 1 CS
Lab Sample ID: 420-195462-1

Date Sampled: 04/15/2021 0556
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1904	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	3.68	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 1 BS
Lab Sample ID: 420-195462-2

Date Sampled: 04/15/2021 0556
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1906	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	5.36	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 2 CS
Lab Sample ID: 420-195462-3

Date Sampled: 04/15/2021 0557
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1908	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 2 BS
Lab Sample ID: 420-195462-4

Date Sampled: 04/15/2021 0557
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1922	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	1.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 3 CS
Lab Sample ID: 420-195462-5

Date Sampled: 04/15/2021 0559
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1924	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: K 3 BS
Lab Sample ID: 420-195462-6

Date Sampled: 04/15/2021 0559
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1926	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	2.30	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: AIS MATH CS
Lab Sample ID: 420-195462-7

Date Sampled: 04/15/2021 0600
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1928	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	2.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S AIS Math Staff BS
Lab Sample ID: 420-195462-8

Date Sampled: 04/15/2021 0601
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1930	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S Cafe BS
Lab Sample ID: 420-195462-9

Date Sampled: 04/15/2021 0602
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1932	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1152	
Pb	1.29	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Kitchen KS #1
Lab Sample ID: 420-195462-10

Date Sampled: 04/15/2021 0603
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Prep Method: 200.7/200.8 Pb	1.00 U	ug/L	1.00	1.00	1.0

Date Analyzed: 06/18/2021 1935
Date Prepared: 06/16/2021 1152

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Kitchen KS #2
Lab Sample ID: 420-195462-11

Date Sampled: 04/15/2021 0603
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1937	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1209	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Kitchen KS #3
Lab Sample ID: 420-195462-12

Date Sampled: 04/15/2021 0604
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1939	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Kitchen HS
Lab Sample ID: 420-195462-13

Date Sampled: 04/15/2021 0604
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1946	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	70.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Cafe BF
Lab Sample ID: 420-195462-14

Date Sampled: 04/15/2021 0605
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1950	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Main Office KS
Lab Sample ID: 420-195462-15

Date Sampled: 04/15/2021 0608
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/18/2021 1952		
Prep Method: 200.7/200.8			Date Prepared: 06/16/2021 1332		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Nurse BS
Lab Sample ID: 420-195462-16

Date Sampled: 04/15/2021 0608
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1954	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	3.60	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Nurse HS
Lab Sample ID: 420-195462-17

Date Sampled: 04/15/2021 0609
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 1956	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Teachers Lounge KS
Lab Sample ID: 420-195462-18

Date Sampled: 04/15/2021 0611
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/18/2021	1959	
Prep Method: 200.7/200.8			Date Prepared: 06/16/2021	1332	
Pb	2.68	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 201 CS
Lab Sample ID: 420-195462-19

Date Sampled: 04/15/2021 0613
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2001	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	42.2 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 202 CS
Lab Sample ID: 420-195462-20

Date Sampled: 04/15/2021 0614
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2003	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	2.45	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 203 CS
Lab Sample ID: 420-195462-21

Date Sampled: 04/15/2021 0615
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2005	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.78	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 204 CS
Lab Sample ID: 420-195462-22

Date Sampled: 04/15/2021 0615
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2012	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Staff BS
Lab Sample ID: 420-195462-23

Date Sampled: 04/15/2021 0617
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021	2014
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021	1332
Pb	1.90	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Boys BS #1
Lab Sample ID: 420-195462-24

Date Sampled: 04/15/2021 0617
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2023	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	16.1 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Boys BS #2
Lab Sample ID: 420-195462-25

Date Sampled: 04/15/2021 0618
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2025	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Boys BS #3
Lab Sample ID: 420-195462-26

Date Sampled: 04/15/2021 0618
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2027	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Boys BS #4
Lab Sample ID: 420-195462-27

Date Sampled: 04/15/2021 0619
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2029	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.98	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Boys BS #5
Lab Sample ID: 420-195462-28

Date Sampled: 04/15/2021 0619
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2031	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	10.3	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Girls BS #1
Lab Sample ID: 420-195462-29

Date Sampled: 04/15/2021 0620
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2038	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	5.38	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Girls BS #2
Lab Sample ID: 420-195462-30

Date Sampled: 04/15/2021 0620
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2040	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.81	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Girls BS #3
Lab Sample ID: 420-195462-31

Date Sampled: 04/15/2021 0620
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2042	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.69	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 2nd Floor Girls BS #4
Lab Sample ID: 420-195462-32

Date Sampled: 04/15/2021 0621
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2044	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1420	
Pb	1.42	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 205 BF
Lab Sample ID: 420-195462-33

Date Sampled: 04/15/2021 0622
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2047	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 205 CS
Lab Sample ID: 420-195462-34

Date Sampled: 04/15/2021 0622
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2051	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 206 CS
Lab Sample ID: 420-195462-35

Date Sampled: 04/15/2021 0623
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2053	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	2.96	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 207 CS
Lab Sample ID: 420-195462-36

Date Sampled: 04/15/2021 0623
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2055	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 209 CS
Lab Sample ID: 420-195462-37

Date Sampled: 04/15/2021 0624
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/18/2021 2057	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 211 CS
Lab Sample ID: 420-195462-38

Date Sampled: 04/15/2021 0625
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 0947	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	15.0	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 213 CS
Lab Sample ID: 420-195462-39

Date Sampled: 04/15/2021 0625
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 0949	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	43.5 g	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 215 Staff BS
Lab Sample ID: 420-195462-40

Date Sampled: 04/15/2021 0627
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/20/2021 0951		
Prep Method: 200.7/200.8			Date Prepared: 06/16/2021 1524		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S Gym BF
Lab Sample ID: 420-195462-41

Date Sampled: 04/15/2021 0628
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 0953	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 219 CS
Lab Sample ID: 420-195462-42

Date Sampled: 04/15/2021 0629
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 0955	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1524	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 219 Boys BS
Lab Sample ID: 420-195462-43

Date Sampled: 04/15/2021 0629
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 0958	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.30	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 219 BF
Lab Sample ID: 420-195462-44

Date Sampled: 04/15/2021 0630
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1011	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 219 Girls BS
Lab Sample ID: 420-195462-45

Date Sampled: 04/15/2021 0631
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1013	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.55	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 221 CS
Lab Sample ID: 420-195462-46

Date Sampled: 04/15/2021 0631
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1015	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	2.06	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 223 CS
Lab Sample ID: 420-195462-47

Date Sampled: 04/15/2021 0631
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1017	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 225 CS
Lab Sample ID: 420-195462-48

Date Sampled: 04/15/2021 0632
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1020	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 302 CS
Lab Sample ID: 420-195462-49

Date Sampled: 04/15/2021 0636
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1022	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	2.35	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 301 CS
Lab Sample ID: 420-195462-50

Date Sampled: 04/15/2021 0637
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1024	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 304 CS
Lab Sample ID: 420-195462-51

Date Sampled: 04/15/2021 0638
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1026	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.30	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 303 CS
Lab Sample ID: 420-195462-52

Date Sampled: 04/15/2021 0639
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1028	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	4.59	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Girls BS #1
Lab Sample ID: 420-195462-53

Date Sampled: 04/15/2021 0640
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1035	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	2.61	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Girls BS #2
Lab Sample ID: 420-195462-54

Date Sampled: 04/15/2021 0640
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1039	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1546	
Pb	1.22	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Girls BS #3
Lab Sample ID: 420-195462-55

Date Sampled: 04/15/2021 0640
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1041	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Girls BS #4
Lab Sample ID: 420-195462-56

Date Sampled: 04/15/2021 0641
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1044	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Staff BS
Lab Sample ID: 420-195462-57

Date Sampled: 04/15/2021 0641
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1046	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	10.2	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Boys BS #1
Lab Sample ID: 420-195462-58

Date Sampled: 04/15/2021 0642
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1048	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	1.54	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Boys BS #2
Lab Sample ID: 420-195462-59

Date Sampled: 04/15/2021 0642
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1050	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	4.72	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Boys BS #3
Lab Sample ID: 420-195462-60

Date Sampled: 04/15/2021 0642
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1052	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1623	
Pb	3.77	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Boys BS #4
Lab Sample ID: 420-195462-61

Date Sampled: 04/15/2021 0643
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1055	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1630	
Pb	11.9	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 Boys BS #5
Lab Sample ID: 420-195462-62

Date Sampled: 04/15/2021 0643
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1101	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1645	
Pb	5.05	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 305 BF
Lab Sample ID: 420-195462-63

Date Sampled: 04/15/2021 0642
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1103	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 305 CS
Lab Sample ID: 420-195462-64

Date Sampled: 04/15/2021 0645
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1112	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.51	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 306 CS
Lab Sample ID: 420-195462-65

Date Sampled: 04/15/2021 0646
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1114	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 307 CS
Lab Sample ID: 420-195462-66

Date Sampled: 04/15/2021 0646
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1116	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 308 CS
Lab Sample ID: 420-195462-67

Date Sampled: 04/15/2021 0647
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1119	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 309 CS
Lab Sample ID: 420-195462-68

Date Sampled: 04/15/2021 0647
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1121	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	7.20	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 310 CS
Lab Sample ID: 420-195462-69

Date Sampled: 04/15/2021 0648
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1127	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	2.46	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 311 CS
Lab Sample ID: 420-195462-70

Date Sampled: 04/15/2021 0648
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 1857	
Prep Method: 200.7/200.8			Date Prepared:	06/17/2021 1554	
Pb	3.49	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: 313 CS
Lab Sample ID: 420-195462-71

Date Sampled: 04/15/2021 0649
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1130	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	2.31	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: O/S 315 BF
Lab Sample ID: 420-195462-72

Date Sampled: 04/15/2021 0649
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1132	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw
Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Job Number: 420-195462-1
Sdg Number: Newburgh ECSD Horizons

Client Sample ID: Custodian Office BS
Lab Sample ID: 420-195462-73

Date Sampled: 04/15/2021 0653
Date Received: 04/16/2021 1215
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/20/2021 1134	
Prep Method: 200.7/200.8			Date Prepared:	06/16/2021 1332	
Pb	5.17	ug/L	1.00	1.00	1.0

DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:
Sdg Number: Newburgh ECSD Horizons

Lab Section	Qualifier	Description
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Newburgh ECSD Horizons

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation:

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Definitions and Glossary

Client: Orange-Ulster BOCES


Job Number:

Sdg Number: Newburgh ECSD Horizons

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.

Chain of Custody Record

Client Information	Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 195462 L&S
Client Contact: Kevin Flynn	Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES	Due Date Requested: Standard Turn-Around	Analysis Requested		Page: Page 1 of 1
Address: 53 Gibson Road	TAT Requested (days):	 420-195462-B-1 K 1 CS Date Sampled: 4/15/2021 420-1670108		Preservation Codes: A - HCL NaOH Zn Acetate Nitric Acid H2SO4 MeOH NH4CL Ascorbic Acid se DI Water Sodium osulfate L- EDA - Sodium Sulfite N - None O - MCAA P - Other (specify)
City: Goshen	PO #:			
State, Zip: NY , 10924	PWS #:			
Phone: 845-781-4887	Project #:			
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org	Additional Contacts:			
Project Name: Newburgh ECSD				
Site: Horizons				

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/15/21	556	K 1 CS		G	DW				1	1	
4/15/21	556	K 1 BS		G	DW				1	1	
4/15/21	557	K 2 CS		G	DW				1	1	
4/15/21	557	K 2 BS		G	DW				1	1	
4/15/21	559	K 3 CS		G	DW				1	1	
4/15/21	559	K 3 BS		G	DW				1	1	
4/15/21	600	AIS MATH CS		G	DW				1	1	
4/15/21	601	O/S AIS MATH STAFF BS		G	DW				1	1	
4/15/21	602	O/S CAFÉ BS		G	DW				1	1	
4/15/21	603	KITCHEN KS #1		G	DW				1	1	
4/15/21	603	KITCHEN KS #2		G	DW				1	1	
4/15/21	603	KITCHEN KS #2	- Duplicate line <i>mm</i>	G	DW				1	1	
4/15/21	604	KITCHEN KS #3		G	DW				1	1	
4/15/21	604	KITCHEN HS		G	DW				1	1	
4/15/21	605	CAFÉ BF		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		P		Container Type	
Preservation Added Upon Receipt:	Manufacturer/lot #:	Date:	Time:	Sample # (s):	
Relinquished by: <i>[Signature]</i>	Date/Time: 4/16/21 12:15	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/16/21 12:15	Company: ETL
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
ICE Present: <i>no</i>	Custody Seal No.:	Custody Seals Intact: Δ	Cooler Temperature(s) °C/IR GUN #: 21.1°C		

EnviroTest Laboratories, LLC

315 Fullerton Avenue
Newburgh, NY 12550
Phone (845) 562-0890 Fax (845) 562-0841

Chain of Custody Record



Client Information		Sampler: J. Russo	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: 195-62 3 FS
Client Contact: Kevin Flynn		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		Analysis Requested			Page: Page 1 of 1											
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr><td>Field Filtered Sample (Yes or No)</td><td></td></tr> <tr><td>Perform MS/MSD (Yes or No)</td><td></td></tr> <tr><td>Chlorine Present (Yes or No)</td><td></td></tr> <tr><td>Lead</td><td></td></tr> <tr><td>Total Number of Containers</td><td></td></tr> </table>			Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Chlorine Present (Yes or No)		Lead		Total Number of Containers		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify)
Field Filtered Sample (Yes or No)																
Perform MS/MSD (Yes or No)																
Chlorine Present (Yes or No)																
Lead																
Total Number of Containers																
City: Goshen		TAT Requested (days):														
State, Zip: NY , 10924		PO #:														
Phone: 845-781-4887		PWS #:														
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:														
Project Name: Newburgh ECSD		Additional Contacts:			Other: D-Nitric Acid											
Site: Horizons					Upon Receipt Preservation verified: Y / N											

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=Comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/15/21	620	2ND FLOOR GIRLS BS #2		G	DW				1	1	
4/15/21	620	2ND FLOOR GIRLS BS #3		G	DW				1	1	
4/15/21	621	2ND FLOOR GIRLS BS #4		G	DW				1	1	
4/15/21	622	O/S 205 BF		G	DW				1	1	
4/15/21	622	205 CS		G	DW				1	1	
4/15/21	623	206 CS		G	DW				1	1	
4/15/21	623	207 CS		G	DW				1	1	
4/15/21	624	209 CS		G	DW				1	1	
4/15/21	625	211 CS		G	DW				1	1	
4/15/21	625	213 CS		G	DW				1	1	
4/15/21	627	O/S 215 STAFF BS		G	DW				1	1	
4/15/21	628	O/S GYM BF		G	DW				1	1	
4/15/21	629	219 CS		G	DW				1	1	
4/15/21	629	O/S 219 BOYS BS		G	DW				1	1	
4/15/21	630	O/S 219 BF		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		P		Container Type	
Preservation Added Upon Receipt:	Manufacturer/lot #:	Date:	Time:	Sample # (s):	
Relinquished by: <i>[Signature]</i>	Date/Time: 4/16/21 12:15	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/16/21 12:15	Company: <i>ET</i>
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
ICE Present: <i>no</i>	Custody Seal No.:	Custody Seals Intact: Δ	Cooler Temperature(s) °C/IR GUN #: 21.7°C		

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-195462-1
SDG Number: Newburgh ECSD Horizons

Login Number: 195462

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.1 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	